

References

In the analysis of banding or tagging studies there is little need to sharply distinguish between the single (dead) recovery case and the multiple (live) recapture case. The mathematical models and analysis methods are very similar in both cases. Consequently, we have included in this bibliography important papers that deal with estimates of survival (mortality) rates from numerous types of banding or tagging studies. We have not included papers that treat only the estimation of population size. The reader who wishes to investigate more fully the practice and analysis of mark-recaptured studies should consult the following: Cormack (1979), Nichols et al. (1984), Pollock (1981), and Seber (1982). References new to the second edition are starred.

- Anderson, D.R. 1972. Bibliography on methods of analyzing bird banding data with special reference to the estimation of population size and survival. U.S. Fish Wildl. Serv., Spec. Sci. Rep.-Wildl. 156. 13 pp.
- Anderson, D.R. 1975. Population ecology of the mallard: V. Temporal and geographic estimates of survival, recovery and harvest rates. U.S. Fish Wildl. Serv., Resour. Publ. 125. 110 pp.
- Anderson, D.R., F.R. Fiehrer, and C.F. Kimball. 1974. A computer program for estimating survival and recovery rates. *J. Wildl. Manage.* 38(2):369-370.
- Anderson, D.R., and K.P. Burnham. 1976. Population ecology of the mallard: VI. The effect of exploitation on survival. U.S. Fish Wildl. Serv., Resour. Publ. 128. 66 pp.
- *Anderson, D.R., and K.P. Burnham. 1980. Effect of delayed reporting of band recoveries on survival estimates. *J. Field Ornithol.* 51(3):244-247.
- Anderson, D.R., and R.T. Sterling. 1974. Population dynamics of molting pintail drakes banded in south-central Saskatchewan. *J. Wildl. Manage.* 38(2):266-274.
- *Anderson, D.R., A.P. Wywiałowski, and K.P. Burnham. 1981. Tests of the assumptions underlying life table methods for estimating parameters from cohort data. *Ecology* 62(4):1121-1124.
- *Anderson, D.R., K.P. Burnham, and G.C. White. 1982. The effect of exploitation on annual survival of mallard ducks: An ultrastructural model. *Proceed. XI Internat. Biometric Conf. Toulouse, France.* 11:33-39.
- *Anderson, D.R., K.P. Burnham, and G.C. White. 1985. Problems in estimating age-specific survival rates from recovery data of birds ringed as young. *J. Anim. Ecol.* 54:89-98.
- Arnason, A.N. 1972a. Parameter estimates from mark-recapture experiments on two populations subject to migration and death. *Res. Popul. Ecol.* 13:97-113.
- Arnason, A.N. 1972b. Prediction methods and variance estimates for the parameters of the triple catch — two population model with migration and death. *Univ. of Manitoba, Dep. of Comp. Sci., Sci. Rep.* 54. 31 pp.
- Arnason, A.N. 1973. The estimation of population size, migration rates and survival in a stratified population. *Res. Popul. Ecol.* 15:1-8.
- *Arnason, A.N., and L. Baniuk. 1978. POPAN-2: A data maintenance and analysis system for mark-recapture data. Charles Babbage Research Centre, Box 370, St. Pierre, Manitoba, Canada. 269 pp.
- *Arnason, A.N. and L. Baniuk. 1980. A computer system for mark-recapture analysis of open populations. *J. Wildl. Manage.* 44(2):325-332.
- Arnason, A.N., and N.S. Kreger. 1973. User's manual POPAN-1 — a program to calculate Jolly-Seber estimates from mark-recapture data with pooling methods to increase the precision. *Univ. of Manitoba, Dep. of Comp. Sci., Sci. Rep.* 76. 32 pp.

- *Arnason, A.N., C.R. Krasey, and K.H. Mills. 1982. A computer program for predicting precision and tag-loss bias in Jolly-Seber mark-recapture estimates. Canadian Tech. Rep. of Fish. & Aquat. Sci. 1083. 42 pp.
- *Arnason, A.N., and K.H. Mills. 1981. Bias and loss of precision due to tag-loss in Jolly-Seber estimates for mark-recapture experiments. Canadian J. Fish & Aquat. Sci. 38:1077-1095.
- *Balser, J.P. 1981. Confidence interval estimation and tests for temporary outmigration in tag-recapture studies. PhD Thesis, Cornell Univ., Ithaca, NY. 205 pp.
- *Begon, M. 1979. Investigating animal abundance: Capture-recapture for biologists. University Park Press, Baltimore, MD. 97 pp.
- Beverton, R.J.H., and S.J. Holt. 1956. A review of methods for estimating mortality rates in exploited fish populations, with special reference to sources of bias in catch sampling. Pages 67-83 in Problems and methods of sampling fish populations. Andr. Fred. Host & Fils, Copenhagen.
- Beverton, R.J.H., and S.J. Holt. 1957. On the dynamics of exploited fish populations. Her Majesty's Stationery Office, London. 533 pp.
- Bishop, J.A., and P.M. Sheppard. 1973. An evaluation of two capture-recapture models using the technique of computer simulation. Pages 235-252 in M.S. Bartlett and R.W. Hiorns, eds. The mathematical theory of the dynamics of biological population. Academic Press, London.
- *Blower, J.G., L.M. Cook, and J.A. Bishop. 1981. Estimating the size of animal populations. George Allen & Unwin Ltd., London. 128 pp.
- Boyd, H. 1956. Statistics of the British population of the pink-footed goose. J. Anim. Ecol. 25:253-273.
- Brownie, C. 1973. Stochastic models allowing age-dependent survival rates for banding experiments on exploited bird populations. PhD Thesis, Cornell University, Ithaca, NY. 114 pp.
- Brownie, C. 1974a. Estimation of instantaneous mortality rates from band return data when "within-season date of kill" is also available. Biometrics Unit, Cornell University, Ithaca, NY. BU-536-M. 15 pp.
- Brownie, C. 1974b. A modification of the SRY model for band-return data, allowing for differences in reporting rates near banding sites. Biometrics Unit, Cornell University, Ithaca, NY. BU-535-M. 13 pp.
- Brownie, C., and D.S. Robson. 1974a. Testing for equality of the annual survival rates in the SRY model for band return data. Biometrics Unit, Cornell University, Ithaca, NY. BU-515-M. 18 pp. plus Appendix.
- Brownie, C., and D.S. Robson. 1974b. Models allowing for age-dependent survival rates for band-return data. Biometrics Unit, Cornell University, Ithaca, NY. BU-514-M. 27 pp. plus tables.
- Brownie, C., and D.S. Robson. 1976. Models allowing for age-dependent survival rates for band-return data. Biometrics 32(2):305-323.
- *Brownie, C., and D.S. Robson. 1983. Estimation of time-specific survival rates from tag-resighting samples: A generalization of the Jolly-Seber model. Biometrics 39:437-453.
- *Brownie, C., and K.H. Pollock. 1985. Analysis of multiple capture-recapture data using band-recovery methods. Biometrics 41(2):411-420.
- *Buckland, S.T. 1980. A modified analysis of the Jolly-Seber capture-recapture model. Biometrics 36:419-435.
- *Buckland, S.T. 1982. A mark-recapture survival analysis. J. Anim. Ecol. 51:833-847.

- *Buckland, S.T., I. Rowley, and D.A. Williams. 1983. Estimation of survival from repeated sightings of tagged galahs. *J. Anim. Ecol.* 52:563-573.
- *Burnham, K.P., and D.R. Anderson. 1979. The composite dynamic method as evidence for age-specific waterfowl mortality. *J. Wildl. Manage.* 43(2):356-366.
- *Burnham, K.P., and J.D. Nichols. 1985. On condition bias and band-recovery data from large-scale waterfowl banding programs. *Wildl. Soc. Bull.* 13(3):
- Carothers, A.D. 1971. An examination and extension of Leslie's test of equal catchability. *Biometrics* 27(3):615-630.
- Carothers, A.D. 1973a. Capture-recapture methods applied to a population with known parameters. *J. Anim. Ecol.* 42(1):125-146.
- Carothers, A.D. 1973b. The effects of unequal catchability on Jolly-Seber estimates. *Biometrics* 29(1):79-100.
- Chapman, D.G. 1961. Statistical problems in dynamics of exploited fisheries populations. Pages 153-168 in J. Neyman, ed. *Proceedings of the 4th Berkeley Symposium on Mathematical Statistics and Probability*. University of California Press, Berkeley.
- Chapman, D.G. 1965. The estimation of mortality and recruitment from a single-tagging experiment. *Biometrics* 21(3):529-542.
- Chapman, D.G., and D.S. Robson. 1960. The analysis of a catch curve. *Biometrics* 16(3):354-368.
- *Colbert, J., J.D. Lebreton, M. Clobert-Gillet, and H. Coquillart. In press. The estimation of survival in bird populations by recaptures or sightings of marked individuals. In B.J.T. Morgan and P. North, eds. *Statistics in Ornithology*. Springer Verlag, Berlin.
- *Clobert, J., and J.D. Lebreton. 1985. Dependence de facteurs de milieu dans les estimations de taux de survie par capture-recapture. *Biometrics* 41(3). Not yet published.
- *Conroy, M.J., and J.D. Nichols. 1984. Testing for variation in taxonomic extinction probabilities: A suggested methodology and some results. *Paleobiology* 10(3):328-337.
- *Conroy, M.J., and B.K. Williams. 1984. A general methodology for maximum likelihood inference from band-recovery data. *Biometrics* 40(3):739-748.
- *Conroy, M.J., and B.K. Williams. 1981. Sensitivity of band reporting-rate estimates to violation of assumptions. *J. Wildl. Manage.* 45(3):789-792.
- Cormack, R.M. 1964. Estimates of survival from the sighting of marked animals. *Biometrika* 51(3-4):429-438.
- Cormack, R.M. 1966. A test of equal catchability. *Biometrics* 22(2):330-342.
- Cormack, R.M. 1968. The statistics of capture-recapture methods. *Oceanogr. Mar. Biol. Annu. Rev.* 6:455-506.
- Cormack, R.M. 1972. The logic of capture-recapture estimates. *Biometrics* 28(2):337-343.
- Cormack, R.M. 1973. Commonsense estimates from capture-recapture studies. Pages 225-234 in M.S. Bartlett and R.W. Hiorns, eds. *The mathematical theory of the dynamics of biological populations*. Academic Press, London.
- *Cormack, R.M. 1979. Models for capture-recapture. Pages 217-255 in R.M. Cormack, G.P. Patil, and D.S. Robson, eds. *Statistical ecology, Vol. 5. Sampling biological populations*. International Co-operative Publishing House, Fairland, MD.
- *Cormack, R.M. 1981. Loglinear models for capture-recapture experiments on open populations. Pages 217-235 in R.W. Hiorns and D. Cook, eds. *The mathematical theory of the dynamics of biological populations II*. Academic Press.

- Cowardin, L.M. 1977. Analysis and machine mapping of the distribution of band recoveries. U.S. Fish Wildl. Serv., Spec. Sci. Rep.-Wildl. 198. 8 pp.
- *Crosbie, S.F. 1979. The mathematical modelling of capture-mark-recapture experiments on animal populations. PhD Thesis, Univ. of Otago. Dunedin, New Zealand. 387 pp.
- *Crosbie, S.F., and B.F.J. Manly. 1985. Parsimonious modelling of capture-mark-recapture studies. *Biometrics* 41(2):399-410.
- Darroch, J.N. 1959. The multiple-recapture census. II. Estimation when there is immigration or death. *Biometrika* 46(3-4):336-351.
- Davenport, D.A. 1977. Computerized tabulation and display of band recovery data. U.S. Fish Wildl. Serv., Spec. Sci. Rep.-Wildl. 199. 7 pp.
- Davidson, R.R., and D.L. Solomon. 1974. Moment-type estimation in the exponential family. *Comm. in Stat.* 3(11): 1101-1108.
- DeLury, D.B. 1947. On the estimation of biological populations. *Biometrics* 3(2):145-167.
- DeLury, D.B. 1951. On the planning of experiments for the estimation of fish populations. *J. Fish. Res. Board Can.* 8(4):281-307.
- DeLury, D.B. 1954. On the assumptions underlying estimates of mobile populations. Pages 287-293 in O. Kempthorne, T.A. Bancroft, J.W. Gowen, and J.L. Lush, eds. *Statistics and mathematics in biology*. Iowa State College Press, Cedar Falls.
- Eberhardt, L.L. 1969. Population analysis. Pages 475-495 in R.H. Giles, ed. *Wildlife management techniques*. The Wildlife Society, Wash., D.C.
- Eberhardt, L.L. 1972. Some problems in estimating survival from banding data. Pages 153-171 in *Population ecology of migratory birds - a symposium*. Bur. Sport Fish. Wildl., Wildl. Res. Rep. 2.
- Fisher, R.A., and E.B. Ford. 1947. The spread of a gene in natural conditions in a colony of the moth *Panaxia dominula* L. *Heredity* 1(2):143-174.
- Fordham, R.A. 1970. Mortality and population change of dominican gulls in Wellington, New Zealand, with a statistical appendix by R.M. Cormack. *J. Anim. Ecol.* 39(1):13-27.
- Geis, A.D. 1972a. Role of banding data in migratory bird population studies. Pages 213-228 in *Population ecology of migratory birds. A Symposium*. U.S. Fish Wildl. Serv., Wildl. Res. Rep. 2.
- Geis, A.D. 1972b. Use of banding data in migratory game bird research and management. U.S. Fish Wildl. Serv., Spec. Sci. Rep.-Wildl. 154. 47 pp.
- Geis, A.D., and R.D. Taber. 1963. Measuring hunting and other mortality. Pages 284-298 in H.S. Mosby, ed. *Wildlife investigational techniques*. 2nd Edition. The Wildlife Society, Wash., D.C.
- Gilbert, R.O. 1973. Approximations of the bias in the Jolly-Seber capture-recapture model. *Biometrics* 29(3):501-526.
- Gulland, J.A. 1955. On the estimation of population parameters from marked members. *Biometrika* 42(1-2):269-270.
- Haldane, J.B.S. 1953. Some animal life tables. *J. Inst. Actuaries* 79(1):83-89.

- Haldane, J.B.S. 1955. The calculation of mortality rates from ringing data. Pages 454-458 in Acta XI Congress International Ornithologists.
- Hammersley, J.M. 1953. Capture-recapture analysis. *Biometrika* 40(3-4):265-278.
- Heincke, F. 1913. Investigations on the plaice. *Rapp. P.-V. Reun. Perm. Cons. Int. Explor. Mer.* 17A:1(1):1-153.
- Henny, C.J., and K.P. Burnham. 1976. A reward band study of mallards to estimate band reporting rates. *J. Wildl. Manage.* 40(1):1-14.
- Hickey, J.J. 1952. Survival studies of banded birds. U.S. Fish Wildl. Serv., Spec. Sci. Rep.-Wildl. 15. 177 pp.
- *Hightower, J., and R.J. Gilbert. 1984. Using the Jolly-Seber model to estimate population size, mortality, and recruitment for a reservoir fish population. *Trans. Am. Fish. Soc.* 113:633-641.
- *Hopper, R.M., H.D. Funk, and D.R. Anderson. 1978. Age-specificity in mallards banded postseason in Eastern Colorado. *J. Wildl. Manage.* 42(1):263-270.
- Jackson, C.H.N. 1939. The analysis of an animal population. *J. Anim. Ecol.* 8:238-246.
- Johnson, D.H. 1974. Estimating survival rates from banding of adult and juvenile birds. *J. Wildl. Manage.* 38(2): 290-297.
- Johnson, N.L., and S. Kotz. 1969. Discrete distributions. Houghton & Miffling, Boston. 328 pp.
- Jolly, G.M. 1963. Estimates of population parameters from multiple recapture data with both death and dilution – deterministic model. *Biometrika* 50(1-2):113-128.
- Jolly, G.M. 1965. Explicit estimates from capture-recapture data with both death and immigration – stochastic model. *Biometrika* 52(1-2):225-247.
- *Jolly, G.M. 1979. A unified approach to mark-recapture stochastic models, exemplified by a constant survival rate model. In R.M. Cormack, G.P. Patil, and D.S. Robson, eds. *Sampling biological populations. Statistical Ecology Series. Vol. 5. Pages 277-282. International Co-operative Publishing House, Fairland, MD.*
- *Jolly, G.M. 1982. Mark-recapture models with parameters constant in time. *Biometrics* 38:301-321.
- *Jolly, G.M., and J.M. Dickson. 1980. Mark-recapture suite of programs. Pages 570-576 in *COMPSTAT 1980: Proc. Comp. Stat, Vol 4, M.M. Barritt and D. Wishart, eds., Physica-Verlag, Vienna.*
- Kale, B.K. 1962. On the solution of likelihood equations by iteration processes: The multiparametric case. *Biometrika* 49(3):479-486.
- Kempthorne, O., and L. Folks. 1971. Probability, statistics, and data analysis. Iowa State University Press, Ames. 555 pp.
- Kendall, M.G., and A. Stuart. 1961. The advanced theory of statistics. Vol. 2. Hafner Publ., NY. 676 pp.
- Kreger, N.S. 1973. A simulation study of Jolly's estimates for animal populations when sampling intensity is low. M.S. Thesis. University of Manitoba, Winnipeg. 171 pp.
- *Kremers, W.K. 1984. The Jolly-Seber model and maximum likelihood estimation revisited. Biometrics Unit, Cornell University, Ithaca, NY. BU-847-M. 7 pp.

- *Kremers, W.K. 1985. Estimation of survival rates from a Jolly-Seber model with tag loss. Biometrics Unit, Cornell University, Ithaca, NY. BU-849-M. 21 pp.
- Lack, D. 1943. The age of the blackbird. *Brit. Birds* 36(9):166-175.
- *Lakhani, K.H., and I. Newton. 1983. Estimating age-specific bird survival rates from ring recoveries – can it be done? *J. Anim. Ecol.* 52:83-91.
- *Lebreton, J.D. 1977. Maximum likelihood estimations of survival rates from bird band returns: Some complements to age-dependent methods. *Biometrie-Praximetre.* 17(3-4):145-161.
- *Lefebvre, L.W., D.L. Otis, and N.R. Holler. 1982. Comparison of open and closed models for cotton rat population estimates. *J. Wildl. Manage.* 46(1):156-163.
- Leslie, P.H., and D. Chitty. 1951. The estimation of population parameters from data obtained by means of the capture-recapture method. I. The maximum likelihood equations for estimating the death-rate. *Biometrika* 38 (3-4):269-292.
- Manly, B.F.J. 1970. A simulation study of animal population estimation using the capture-recapture method. *J. Appl. Ecol.* 7(1):13-39.
- Manly, B.F.J. 1971a. Estimates of a marking effect with capture-recapture sampling. *J. Appl. Ecol.* 8(1):181-189.
- Manly, B.F.J. 1971b. A simulation study of Jolly's method for analyzing capture-recapture data. *Biometrics* 27(2): 415-424.
- Manly, B.F.J. 1972-1973. Estimating survivorship from the recaptures of animals first released at age zero. *Biometrie-Praximetre* 13:1-14.
- Manly, B.F.J. 1974. Estimating survival from a multi-sample single recapture census where recaptures are not made at release times. *Biom. Z* 16(3):185-190.
- *Manly, B.F.J. 1977a. A simulation experiment on the application of the jackknife with Jolly's method for the analysis of capture-recapture data. *Acta Theriologica.* 22:215-223.
- *Manly, B.F.J. 1977b. A note on the design of experiments to estimate survival and relative survival. *Biometric J.* 19:687-692.
- *Manly, B.F.J. 1981. Estimation of absolute and relative survival rates from the recoveries of dead animals. *New Zealand J. Ecol.* 4(1):78-88.
- *Manly, B.F.J. 1984. Obtaining confidence limits on parameters of the Jolly-Seber model for capture-recapture data. *Biometrics* 40:749-758.
- Manly, B.F.J., and M.J. Parr. 1968. A new method of estimating population size, survivorship, and birth rate from capture-recapture data. *Trans. Soc. Br. Entomol.* 18:81-89.
- Manly, B.F.J., and G.A.F. Seber. 1973. Animal life tables from capture-recapture data. *Biometrics* 29(3):487-500.
- *Mardekian, S.Z., and L. McDonald. 1981. Simultaneous analysis of band-recovery and live-recapture data. *J. Wildl. Manage.* 45(2):484-488.
- Martin, E.M., and S.M. Carney. 1977. Population ecology of the mallard: IV. A review of duck hunting regulations, activity and success, with special reference to the mallard. *U.S. Fish Wildl. Serv., Resour. Publ.* 130.

- Moran, P.A.P. 1952. The estimation of death-rates from capture-mark-recapture sampling. *Biometrika* 39(1-2):181-188.
- Murton, R.K. 1966. A statistical evaluation of the effect of wood-pigeon shooting as evidenced by the recoveries of ringed birds. *The Statistician* 16:183-202.
- *Nelson, L.J., D.R. Anderson, and K.P. Burnham. 1980. The effect of band loss on estimates of annual survival. *J. Field Ornithol.* 51(1):30-38.
- *Nichols, J.D., and J.E. Hines. 1983. The relationship between harvest rates and survival rates of mallards: A straightforward approach with randomly partitioned data sets. *J. Wildl. Manage.* 47(2):334-348.
- *Nichols, J.D., M.J. Conroy, D.R. Anderson, and K.P. Burnham. 1984. Compensatory mortality in waterfowl populations: A review of the evidence and implications for research and management. *Trans. N. Am. Wildl. & Natur. Resour. Conf.* 49:535-554.
- *Nichols, J.D., J.E. Hines, and K.H. Pollock. 1984. Effects of permanent trap response in capture probability on Jolly-Seber capture-recapture model estimates. *J. Wildl. Manage.* 48(1):289-294.
- *Nichols, J.D., B.R. Noon, S.L. Stokes, and J.E. Hines. 1981. Remarks on the use of mark-recapture methodology in estimating avian population size. Pages 121-136 in C.J. Ralph and M.J. Scott, eds. *Estimating numbers of terrestrial birds.* *Stud. Avian Biol.* 6.
- *Nichols, J.D., and K.H. Pollock. 1983. Estimation methodology in contemporary small mammal capture-recapture studies. *J. Mammal.* 64(2):253-260.
- *Nichols, J.D., and K.H. Pollock. 1983. Estimating taxonomic diversity, extinction rates, and speciation rates from fossil data using capture-recapture models. *Paleobiology* 9(2):150-163.
- *Nichols, J.D., S.L. Stokes, J.E. Hines, and M.J. Conroy. 1982. Additional comments on the assumptions of homogeneous survival rates in modern bird banding estimation models. *J. Wildl. Manage.* 46(4):953-962.
- *North, P.M., and B.J.T. Morgan. 1979. Modelling heron survival using weather data. *Biometrics* 35(3):667-681.
- *North, P.M., and R.M. Cormack. 1981. On Seber's method for estimating age-specific bird survival rates from ringing recoveries. *Biometrics* 37(1):103-112.
- *North, P.M. 1979. Relating Grey Heron survival rates to winter weather conditions. *Bird Study* 26:23-28.
- Orians, G.H. 1958. A capture-recapture analysis of a shearwater population. *J. Anim. Ecol.* 27(1):71-86.
- Ostle, B. 1963. *Statistics in research.* Iowa State University Press, Ames. 585 pp.
- Overton, W.S. 1969. Estimating the number of animals in wildlife populations. Pages 403-455 in R.H. Giles, ed. *Wildlife management techniques.* 2nd Edition. The Wildlife Society, Wash., D.C.
- Paloheimo, J.E. 1961. Studies on estimation of mortalities. I. Comparison of a method described by Beverton and Holt and a new linear formula. *J. Fish. Res. Board. Can.* 18:645-662.
- Parker, R.A. 1963. On the estimation of population size, mortality and recruitment. *Biometrics* 19(2):318-323.
- Paulik, G.J. 1962. Use of the Chapman Robson survival estimate for single- and multiple-release tagging experiments. *Trans. Am. Fish. Soc.* 91(1):95-98.

- Paulik, G.J. 1963. Estimates of mortality rates from tag recoveries. *Biometrics* 19(1):28-57.
- Pollock, K.H. 1974. The assumption of equal catchability of animals in tag-recapture experiments. PhD Thesis, Cornell University, Ithaca, NY. 82 pp.
- Pollock, K.H. 1975. A K-sample tag-recapture model allowing for unequal survival and catchability. *Biometrika* 62 (3):577-583.
- *Pollock, K.H. 1981a. Capture-recapture models: A review of current methods, assumptions, and experimental design. Pages 426-435 in C.J. Ralph, and J.M. Scott, eds. Estimating the numbers of terrestrial birds. *Stud. Avian., Biol.* 6.
- *Pollock, K.H. 1981b. Capture-recapture models allowing for age-dependent survival and capture rates. *Biometrics* 37:521-529.
- *Pollock, K.H. 1982. A capture-recapture design robust to unequal probability of capture. *J. Wildl. Manage.* 46(3): 752-757.
- *Pollock, K.H., J.E. Hines, and J.D. Nichols. 1985. Goodness of fit tests for open capture-recapture models. *Biometrics* 41(2).
- *Pollock, K.H., and R.H.K. Mann. 1983. Use of an age-dependent mark-recapture model in fisheries research. *Canadian J. Fish. & Aquatic Sci.* 40(9):1449-1455.
- *Pollock, K.H., and D.G. Raveling. 1982. Assumptions of modern band-recovery models, with emphasis on heterogeneous survival rates. *J. Wildl. Manage.* 46(1):88-98.
- Pollock, K.H., D.L. Solomon, and D.S. Robson. 1974. Tests for mortality and recruitment in a K-sample tag-recapture experiment. *Biometrics* 30(1):77-87.
- Pope, J.A. 1963. The design and analysis of capture-recapture experiments. Pages 342-347 in North Atlantic Fish Marking Symposium for the International Commission for the Northwest Atlantic Fisheries. *Spec. Publ.* 4.
- Rafail, S.Z. 1971a. Estimation of abundance of fish populations by capture-recapture experiments. *Mar. Biol.* 10(1): 1-7.
- Rafail, S.Z. 1971b. Estimation of some parameters of large fish populations by capture-recapture experiments. *Mar. Biol.* 10(1):8-12.
- Rao, C.R. 1965. *Linear statistical inference and its application.* Wiley, NY. 522 pp.
- Regier, H.A., and D.S. Robson. 1967. Estimating population number and mortality rates. Pages 31-66 in S.D. Gerking, ed. *The biological basis of freshwater fish production.* Blackwell Scientific Publ., Oxford.
- Ricker, W.E. 1958. *Handbook of computations for biological statistics of fish populations.* Fish. Res. Board Can. Bull. No. 119. 300 pp.
- Ricker, W.E. 1975. *Computation and interpretation of biological statistics of fish populations.* Fish. Res. Board Can. Bull. 191. 382 pp.
- Roberts, J.O.L. 1971. Survival among some North American wood warblers. *Bird-Banding* 42(3):165-184.
- Robson, D.S. 1963. Maximum likelihood estimation of a sequence of annual survival rates from a capture-recapture series. Pages 330-335 in North Atlantic Fish Marking Symposium. International Commission for the Northwest Atlantic Fisheries. *Spec. Publ.* 4.

- Robson, D.S. 1969. Mark-recapture methods of population estimation. Pages 120-140 in N.L. Johnson and H. Smith, Jr. eds. *New developments in survey sampling*. Wiley Interscience, NY.
- Robson, D.S. 1971a. Statistical analysis of reported tag recaptures from an exploited population: maximum likelihood estimation of instantaneous mortality rates. Biometrics Unit, Cornell University, Ithaca, NY. BU-370-M. 8 pp.
- Robson, D.S. 1971b. Statistical methods for a tag-recapture experiment on a population closed to recruitment: Preliminary report. Biometrics Unit, Cornell University, Ithaca, NY. BU-374-M. 10 pp.
- Robson, D.S. 1971c. A non-prejudicial method of defining class intervals for comparing frequency distribution by chi-square. Biometrics Unit, Cornell University, Ithaca, NY. BU-366-M. 12 pp.
- *Robson, D.S. 1983. Mark-recapture models with survival rates specific to capture-history classes: A synthesized numerical example. Cornell Biometrics Unit Rept. BU-826-M. 11 pp.
- Robson, D.S., and D.G. Chapman. 1961. Catch curves and mortality rates. *Trans. Am. Fish. Soc.* 90(2):181-189.
- Robson, D.S., and H.A. Regier. 1968. Estimation of population number and mortality rates. Pages 124-158 in W.E. Ricker, ed. *Methods for assessment of fish production in fresh waters*. IBP Handbook No. 3, Blackwell Scientific Publ., Oxford.
- Robson, D.S., and W.D. Youngs. 1971. Statistical analysis of reported tag-recaptures in the harvest from an exploited population. Biometrics Unit, Cornell University, Ithaca, NY. BU-369-M. 15 pp.
- *Sandland, R.L., and P. Kirkwood. 1981. Estimation of survival in marked populations with possibly dependent sighting probabilities. *Biometrika* 68:531-541.
- Seber, G.A.F. 1962. The multi-sample single recapture census. *Biometrika* 49(3-4):339-350.
- Seber, G.A.F. 1965. A note on the multiple-recapture census. *Biometrika* 52(1-2):249-259.
- Seber, G.A.F. 1966. *The linear hypothesis: A general theory*. Hafner Publ. Co., NY. 115 pp.
- Seber, G.A.F. 1970. Estimating time-specific survival and reporting rates for adult birds from band returns. *Biometrika* 57(2):313-318.
- Seber, G.A.F. 1971. Estimating age-specific survival rates from bird-band returns when the reporting rate is constant. *Biometrika* 58(3):491-497.
- Seber, G.A.F. 1972. Estimating survival rates from bird-band returns. *J. Wildl. Manage.* 36(2):405-413.
- Seber, G.A.F. 1973. *Estimation of animal abundance and related parameters*. Griffin, London. 506 pp.
- *Seber, G.A.F. 1982. *The estimation of animal abundance and related parameters*. Macmillan Publ. Co., NY. 2nd Edition. 654 pp.
- Seber, G.A.F., and E.D. Le Cren. 1967. Estimating population parameters from catches large relative to the population. *J. Anim. Ecol.* 36(4):631-643.
- *Stokes, S.L. 1984. The Jolly-Seber method applied to age-stratified populations. *J. Wildl. Manage.* 48(3):1053-1059. (also see the corrigendum in *J. Wildl. Manage.* 49(1):282)
- Vaught, R.W., and L.M. Kirsch. 1966. Canada geese of the Eastern Prairie Population, with special reference to the Swan Lake flock. *Mo. Dep. Conserv. Tech. Bull.* 3. 91 pp.

- *Weatherhead, P.J., and C.D. Ankney. 1984. Comment: A critical assumption of band-recovery models may often be violated. *Wildl. Soc. Bull.* 12:198-199.
- *Weatherhead, P.J., and C.D. Ankney. 1985. Condition bias and band-recovery data: A reply to Burnham and Nichols. *Wildl. Soc. Bull.* 13(3):
- White, E.G. 1971a. A computer program for capture-recapture studies of animal populations: A FORTRAN listing for the stochastic model of G.M. Jolly. Tussock Grasslands and Mountain Lands Institute. Spec. Publ. 8. 33 pp. (also a subsequent Addendum, xiii p.)
- White, E.G. 1971b. A versatile FORTRAN computer program for the capture-recapture stochastic model of G.M. Jolly. *J. Fish. Res. Board Can.* 28:443-445.
- White, E.G. 1975. Identifying population units that comply with capture-recapture assumptions in an open community of alpine grasshoppers. *Res. Popul. Ecol.* 16:153-187.
- *White, G.C. 1983. Numerical estimation of survival rates from band-recovery and biotelemetry data. *J. Wildl. Manage.* 47(3):716-728.
- *White, G.C., D.R. Anderson, K.P. Burnham, and D.L. Otis. 1982. Capture-recapture and removal methods for sampling closed populations. LA-8787-NERP. Los Alamos National Laboratory, Los Alamos, NM. 235 pp.
- *Youngs, W.D., and D.S. Robson. 1975. Estimating survival rate from tag returns: Model tests and sample size determination. *J. Fish. Res. Board Can.* 32:2365-2371.