

# INDEX

## A

accuracy, 18  
 animal identification, 168-170  
 animal births, 181  
 animal deaths, 120, 162, 171, 173, 181.  
     *See also* emigration.  
 animal influx, 135, 181. *See also*  
     immigration.  
 area, effective (A), 120, 130, 164  
 area relating to N, 3  
 Arnason, A. Neil, 162  
 assumption of closure. *See* closure.  
 assumption of equal effort, 104  
 assumption of finite size, 120  
 assumption of constant density, 127, 130  
 assumptions for capture-recapture studies, 3, 7  
 assumptions for density estimation, 124, 127  
 assumptions for removal studies, 7  
 assumptions of removal models, 103

## B

Bailey, Norman T. J., 53  
 ball and urn model, 3, 4, 7, 27, 46-47, 53  
 Bayesian statistical methods, 190  
 behavioral response, 8, 47, 56, 71, 74, 80.  
     *See also* Model  $M_b$ , Model  $M_{bh}$ .  
 clue to, 133  
 control of, 163  
 in open models, 192  
 test for, 77, 82, 90  
 benthos, stream bottom, 112  
 bias, 18, 22, 23  
     effect of recaptures on, 134  
     in estimators, 26, 90, 175  
     minimization of, 114  
     in models, 19  
     sources of, 120  
 biotelemetry, 188  
 births of animals, 181  
 bootstrap method, 190  
 boundary strip, 120, 127  
 boundary strip width W, 120-124, 130, 164  
 Burnham, Kenneth P., 9

## C

CAPTURE, 10-11, 33, 39, 41, 206-221  
     computations for closure test, 96  
     computation in removal studies, 105  
     print-out, 49, 132  
     density estimation by, 154  
 capture occasions in removal studies 105,  
     106, 118  
 capture probabilities,  
     constant, 48,  
     magnitude of, 41  
     unique, 47  
     variation in, 47, 52  
 capture probability p, 6, 47  
 capture-recapture studies, 1  
 captures, "sufficient numbers of," 165  
 caret (^) notation, 6, 16  
 Carothers, Andrew D., 10  
 catchability, 181  
 catchability structure, 132  
 catchabilities, equal, 7  
 catch-effort methods, 161  
 catch per unit effort (CPUE) methods, 114-115  
 census, 23, 24  
 Chapman, Douglas G., 54  
 closure, 3  
     methods to ensure, 162  
     in removal studies, 117  
     tests for 36, 38, 96-97, 135, 162  
 closure, demographic, 3-5, 46, 120, 186  
 closure, geographic, 3-5, 101, 184, 186  
 coefficient of variation, 24  
 computer programs, 10, 192  
 computer simulation, 39  
 confidence interval, 33  
     computation of, 49  
     construction of, 33-34  
     coverage on N, 190  
 "contagion of catchability," 8.  
     *See also* Model  $M_b$   
 Cormack, Richard, 2  
 cotton rat data, 134  
 count, 100%, 101

## D

D and W, estimation of, 120, 130, 154  
 $\hat{D}$  and  $\hat{W}$ , correlation between, 124  
Darroch, John W., 29  
Darroch's estimator, 53, 54, 91, 216  
Darroch's model, 29, 30  
data, 5  
    anomalies in, 171  
    interpretation of, 132  
    pooling of, 168  
    recording of, 170  
    in removal studies, 8  
    real-world, 133  
data, fish removal, 113-114  
data, simulated, 218-221  
    for model  $M_b$ , 56-63  
    for Model  $M_{bh}$ , 66-70  
    for Model  $M_h$ , 63-66  
    for Model  $M_o$ , 48-49  
    for Model  $M_t$ , 51-56  
    for Model  $M_{tb}$ , 71-74  
    for Model  $M_{tbb}$ , 74-75  
    for Model  $M_{th}$ , 71  
    for removal studies, 104  
data stratification, 170  
    example of, 135, 139  
    in removal studies, 104, 113, 118  
    to remove heterogeneity, 163  
data, U-shaped, 133  
deaths of animals, 120, 181.  
    *See also* emigration.  
    effects on livetrapping studies, 162  
        171, 173  
density D, 120, 130  
density estimation, 120  
    examples of, 122, 151-154  
    future research on, 191-192  
    sample size in, 164-165  
density, naive estimate of, 120  
density, uniform, 151, 154  
design. *See* study design.

## E

Eberhardt, L. Lee, 63  
edge, effect, 120, 164  
effort, equal, 104, 163  
electrofishing, 101, 104  
    data stratification in, 118, 170  
emigration, 120, 181  
entry rate, 186  
error, measurement, 26

error, Type I, 35, 37, 162  
error, Type II, 35, 37, 69  
estimate, 16  
estimates, maximum likelihood, 30, 58  
estimation, 16  
    of D and W, 120, 130, 154  
estimation methods, 26, 115  
estimators, 16  
    for eight models, 75-76  
    robustness of, 27, 90-91  
estimator, closed form, 27, 29, 54  
estimator, maximum likelihood (ML), 27, 29  
    distribution of, 34  
    under generalized removal models, 111, 118  
    under Model  $M_b$ , 58-63  
    under Model  $M_{bh}$ , 66-70  
    under Model  $M_h$ , 64-66  
    under Model  $M_o$ , 49  
    under Model  $M_t$ , 53-54  
    for removal data, 105  
    solutions to, 29-30  
estimators,  
    Darroch, 53, 216  
    generalized removal, 90, 216-217  
    jackknife, 64-66, 91, 142, 190, 216  
    null, 49, 216  
    removal, 216-217  
    Petersen-Lincoln, 16, 18, 27, 29, 32, 47  
    Schnabel, 27, 53-54  
    Zippin, 91, 216  
estimator of population mean, 16  
experiments, "failure criterion" in, 108  
experiments, simulated, 173

## F

failure criterion in removal experiments, 108  
fantail darter data, 114  
field forms, 170  
field methods, effect on data analysis of, 161  
 $f_i$  notation, 7, 64  
Fisher, Sir Ronald A., 27, 28

## G

generalized removal estimator, 90, 216-217  
grids, 120-130, 151-154  
    design of, 120, 164  
    effective area of, 120  
    minimum area of, 166  
    nested, 121  
    subgrids in, 127, 151  
    shape of, 127, 164-165

size of, 3, 164  
ground squirrel data, 122, 151

## H

$H_A$ . *See* hypothesis, alternative.  
 $H_0$ . *See* hypothesis, null.  
hare data, 109, 113  
"hat" (^)  
heterogeneity, 8, 47, 63-66, 71, 74. *See also*  
    Model  $M_h$ , Model  $M_{bh}$ .  
    clues to, 132  
    due to unrecognized attributes, 163  
    elimination of, 163-164  
    in open-population models, 186, 192  
    in removal studies, 104, 109, 112, 118  
    test for, 77, 82, 90  
"heterogeneity" induced by behavioral  
    response, 82  
home range, 120, 165  
hypotheses, tests of 34-35, 79-80, 122-124  
hypothesis, alternative, 35  
hypothesis, null, 35, 79-80, 90, 139  
hypothesis, statistical, 34

## I

identification of animals, 168-170  
immigration, 120, 135, 162, 181  
indexes, use of, 32  
"index to abundance," 32  
inference, inductive, 14  
inferences, invalid, 182  
influx of animals, 181

## J

jackknife estimator, 64-66, 91, 142, 190, 216.  
    *See also* estimator under Model  $M_h$ .  
Jackson, C. H. H., 34  
Jolly, George M., 182  
Jolly-Seber model, 180-181, 184, 192

## L

La Place, P. S., 17  
Leslie, Patrick H., 40  
likelihood function, 27, 30-32  
Lincoln, Frederick C., 17  
Lincoln Index, 17. *See also*  
    Petersen-Lincoln estimator.

livetrapping methods, 161, 162, 164  
loss rate, 186

## M

Manly, Bryan F. J., 185  
marking systems, 168-170, 188-189  
marking techniques, 161  
matrix, X. *See* X matrix.  
maximum likelihood (ML) method, 18, 27,  
    31-32  
meadow vole population estimate, 3  
measurement error, 26  
methods, catch per unit effort (CPUE), 114-116  
microtaggants, 189  
migration, 162, 181  
 $m_j$  notation, 7, 47  
ML estimates, 30, 58  
ML estimators. *See* estimator, maximum  
    likelihood (ML)  
model, 15  
model, ball and urn, 3, 4, 7, 27, 46-47, 53  
model, Cormack's, 184  
model, constant capture probability, 48, 115.  
    *See also* Model  $M_0$ .  
model formulation, 26-27  
model, Jolly-Seber, 180, 181, 184  
model, log-linear, 191  
model, mathematical, 41  
Model  $M_b$ , 8, 27  
    estimator under, 58-63  
    examples of, 134, 135  
    likelihood function for, 31  
Model  $M_{bh}$ , 8, 27  
    estimator under, 66-70  
    example of, 154  
Model  $M_h$ , 8, 27  
    estimator under, 64-66  
    examples of, 132, 139  
Model  $M_0$ , 7, 8, 48-51  
    estimator under, 49  
    examples of, 132, 151  
    likelihood function for, 31  
Model  $M_R$ , 8, 10  
Model  $M_t$ , 8, 51-55  
    estimator under, 53-54  
    likelihood function for, 31  
Model  $M_{tb}$ , 8, 27, 71-74  
Model  $M_{tth}$ , 8, 27, 74-75  
    example of, 133  
Model  $M_{th}$ , 8, 27, 71  
    example of, 133

- model, Pollock's, 184
- model, probability, 27
- model, regression, 123
- model, removal, 103, 113, 191
- model, Robson's, 184
- models, capture-recapture, 7, 45-75, 185
- models, closed
  - difficulties in, 190
  - use of, 185
- model selection, 41
  - criteria for, 77, 80
  - procedure for, 50, 63, 80-90, 133-134, 151, 170
- model selection rule, 190-191
- models, open, 180, 192
  - use of, 163, 185
- models, realistic, 189-190
- models, relationships among, 75-76
- models, removal, 8, 103-105, 109-111
- models, stochastic, 15, 41
- models, tests of, 77
- Monte Carlo simulations, 173
- Moran, P. A. P., 103

## N

- N. *See* population size.
- notation
  - in computer output, 132
  - for estimates ( $\hat{\cdot}$ ), 6, 16
  - $f_i$ , 7, 64
  - $m_j$ , 7, 47
  - $n_j$ , 7, 47, 51
  - for summation, 7
  - $u_j$ , 7, 50
- null estimator, 49, 216. *See also* estimator under Model  $M_0$ .
- null hypothesis, 35, 79-80, 90, 139

## O

- open populations, 180
- outflux, 181. *See also* emigration.

## P

- p. *See* capture probability.
- parameter, 6, 16
- parameters, effect of increased number, 180-181
- parameters of capture model, 46
- partitioning. *See* stratification.
- pattern of observed significance levels, 80, 82
- patterns in real-world data, 133

- pellet counts, 161
- Peterson, Carl George Johannes, 17
- Petersen-Lincoln estimator, 16, 18, 27, 29, 32, 47,
  - Chapman's modification of, 53
- pocket mice data, 173
- Pollock, Kenneth H., 9
- POPAN-2, 192
- population density. *See* density.
- population dynamics, 182-184
- population mean, 16
- population size, N, 6
  - area relating to, 3, 46
  - estimation of, 1
- population variance, 22
- populations, open, 180
- populations, simulated, 39-40
- precision, 19
  - effect of recaptures on, 134
  - in removal studies, 106
  - sacrifice of, 114
- probability, constant capture, 103
- program CAPTURE, *See* CAPTURE

## R

- random sampling, 27
- recapture probability  $c$ , 6, 56
- recaptures, number of, 165
- recruitment, 120, 162, 181
- regression (CPUE) methods, 114-116
- removal estimator, 216-217
- removal by marking, 10, 101, 161
- removal methods, 1, 101
  - generalized, 109-114
  - Zippin, 27
- removal model,
  - assumptions of, 112
  - variability in, 107-108
- removal models. *See also* Model  $M_b$ , Model  $M_{bh}$ .
  - generalized, 111
  - simplest, 8, 103-108
  - Zippin's, 27, 91
- removal, physical, 10
- removal sampling, 101
- removals, number of, 105-106
- removal studies, 1
- response, behavioral, 8, 47, 56, 66, 71, 74, 80
  - clue to, 133
  - control of, 163
  - in open models, 192
  - test for, 79, 82, 90

Robson, Douglas S., 111  
robustness, 3, 27, 90-91, 139

## S

sample size, 41, 164, 166  
  example of, 149, 151  
sampling concepts, 14  
sampling methods, 27  
sampling, random, 27  
sampling variation, 24-26, 104  
Schnabel, Zoe Emily, 28  
Schnabel estimator, 27, 53-54  
scientific method, 14, 16  
Seber, George A. F., 2  
significance levels, 80, 82  
simulation of experiments, 168, 173  
  simulation methods, 39  
  simulation, Monte Carlo, 173  
Smith, Michael, 121  
Statistical Analysis System (SAS), 193  
standard errors, 24  
statistics, 7, 14  
  mathematical, 34-35  
  statistics, summary, 45  
  under Model  $M_b$ , 50  
  under Model  $M_h$ , 64  
  under Model  $M_{bh}$ , 67  
  under Model  $M_o$ , 49  
  under Model  $M_t$ , 51-52  
stochastic processes, 20  
strip width, *See* boundary strip width  $W$ .  
studies, invalid inferences from, 182  
studies, length of, 163, 185-186  
study design, 161-178  
  effect of behavioral response on, 134-135  
  example of, 173  
  requirements for, 124, 161  
  tests of, 168  
surveys, 161  
survival, 6, 181, 192

## T

tags, electronic, 188  
test, Leslie's, 39  
test, simple alternative, 38  
tests,  
  for closure, 96-97, 135, 162  
  of data stratified by sex, 139, 142  
  of design, 168  
  for goodness of fit, 37, 69, 79, 80,  
  90, 96

  for homogeneity in stratified  
  data, 163  
  of hypotheses, 34-35, 79-80, 122-124  
  of model assumptions, 33, 77-80,  
  in removal studies, 106-107, 113  
tests, power of, 36, 96, 191  
tests, problems of, 38-39  
test statistics, 34-35, 37, 38, 39  
theory vs reality, 15  
time-associated variation, 8, 47, 71, 74,  
  142. *See also* Model  $M_t$ .  
  clue to, 133  
  control of, 163, 168, 175  
  example of, 142  
  in removal studies, 109, 118  
  test for, 79, 82, 90  
tracks, animal, 164  
trap-happy animals, 56, 82, 133-134  
trap location, 127, 135, 164, 170  
trap numbering, 170,  
trapping area, 186  
trapping effort, 104, 163  
trapping grids, *See* grids.  
trapping, kill, 101  
trapping occasions, 165, 168  
trapping, small-mammal, 104, 110, 164  
trapping, snap, 117  
trap-shy animals, 56, 59, 67, 72, 82, 133  
trap spacing, 164, 165  
Type I error, 35, 162. *See also* tests of  
  hypotheses.  
Type II error, 35, 37, 69. *See also* tests of  
  hypotheses.

## U

$u_j$  notation, 7, 50  
uniform unmarked minimum variance estimator  
  (UMVUE), 190

## V

variation, 21-26  
variation in capture probabilities, 8, 47, 163,  
  188. *See also* behavioral response,  
  heterogeneity, time-associated variation.  
variation, coefficient, of, 24  
variation, sampling, 24-26, 104  
variation, sources of, 25, 63  
variation, spatial, 21, 25-26  
variation, stochastic, 22-23  
variation, temporal, 21, 26

## W

W. *See* boundary strip width W  
weather conditions, 163

## X

X matrix, 5, 6, 7, 27, 30, 31  
construction of, 168-169  
examples of, 6, 11, 12, 48, 57, 169  
for Model  $M_0$ , 48

reading in CAPTURE, 210-215  
from simulated data, 40

## Z

Zippin, Calvin, 28  
Zippin estimator, 91  
Zippin removal method, 27  
z-statistic, 38  
z-test, 139, 142